

Serie Schuko-Type

Schuko-type plugs & sockets

Reference : 00115

IP54 Rubber wander plug 2P+E 250V 16A double earth system



Features

Application:	Electrical connection
Apto para instalación en exterior:	No
Type of installation:	Mobile
Intensidad nominal (A):	16
Voltage (V):	250
Frecuency (Hz):	50/60
Number of poles:	2P+T
Color:	Black

Technical data

Protection degree:	IP44
Resistance to impact:	IK08
Glow wire resistance (°C):	960
Ball pressure test (°C):	125

Additional features

Cable flexible (mm ²):	0,75-2,5
Inversor de fase:	No

Materials

Calidad del material:	Goma
-----------------------	------

Plastic parts material: PA6 (Polyamide 6)

Contact material: Copper-zinc alloy

Materiales libres de halógenos: Yes

Fields for ETIM

Modelo toma de corriente: Enchufe híbrido CEE 7/7 (tipo E/F)

Certificates and regulations

Directive: 2014/35/EU

Norms: UNE-EN 60309-1; UNE-EN 60309-2; IEC 60884-1

Packaging

Suministro: Supplied in a single box per packaging multiple.

Type d'emballage: NE

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 30

dimensiones_embalaje_unitario_alto_ancho_prof_m: 0.004 x 0.185 x 0.285

Package weight (kg): 0.046

Peso bruto unitario (kg): 0.05

Codes

EAN code GETIM13: 8431044001159

Tariff code: 85366990

ETIM 8.0 Code: EC000242

Código ETIM 9.0: EC000242

Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

Packaging: 100% recyclable cardboard

Downloads (links)

Product drawing STP (URL):	https://ide.es/docs/planos/stp/00115.stp
Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/00115.dxf
Product drawing (PDF):	https://ide.es/docs/planos/pdf/00115.pdf
Assembly instructions:	91208