

Serie Schuko-Type

Schuko-type plugs & sockets

Reference : 00125

IP20 Rubber wander socket 2P+E 250V 16A spanish



Features

Application:	Electrical connection
Apto para instalación en exterior:	No
Type of installation:	Mobile
Intensidad nominal (A):	16
Voltage (V):	250
Frecuency (Hz):	50/60
Number of poles:	2P+T
Color:	Black

Technical data

Protection degree:	IP44
Resistance to impact:	IK08
Glow wire resistance (°C):	960
Ball pressure test (°C):	125

Additional features

Cable flexible (mm ²):	1-2,5
Inversor de fase:	No

Materials

Calidad del material:	Goma
-----------------------	------

Plastic parts material: PA6 (Polyamide 6)

Contact material: Copper-zinc alloy

Materiales libres de halógenos: Yes

Fields for ETIM

Modelo toma de corriente: Acoplador CEE 7/3 (tipo F)

Certificates and regulations

Directive: 2011/65/EU

Norms: UNE-EN 60309-1; UNE-EN 60309-2; IEC 60884-1

Packaging

Suministro: Supplied in a single box per packaging multiple.

Type d'emballage: NE

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 25

dimensiones_embalaje_unitario_alto_ancho_prof_m: 0.016 x 0.019 x 0.029

Package weight (kg): 0.067

Peso bruto unitario (kg): 0.073

Codes

EAN code GETIM13: 8431044001258

Tariff code: 85366990

ETIM 8.0 Code: EC001327

Código ETIM 9.0: EC001327

Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

Packaging: 100% recyclable cardboard

Downloads (links)

Product drawing STP (URL):	https://ide.es/docs/planos/stp/00125.stp
Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/00125.dxf
Product drawing (PDF):	https://ide.es/docs/planos/pdf/00125.pdf
Assembly instructions:	91208