

## Serie IP67 Low voltage

IP67 Low-voltage plugs & sockets

**Reference : 02652**

IP67 Wander plug 3P+E 220V 63A 9H



### Features

|                                    |                       |
|------------------------------------|-----------------------|
| Application:                       | Electrical connection |
| Apto para instalación en exterior: | Yes                   |
| Type of installation:              | Mobile                |
| Intensidad nominal (A):            | 63                    |
| Voltage (V):                       | 200/250               |
| Frecuency (Hz):                    | 50/60                 |
| Number of poles:                   | 3P+T                  |
| Time code:                         | 9                     |
| Color:                             | Blue                  |

### Technical data

|                            |           |
|----------------------------|-----------|
| Protection degree:         | IP66-IP67 |
| Resistance to impact:      | IK08      |
| Glow wire resistance (°C): | 960       |
| Ball pressure test (°C):   | 125       |

### Additional features

|                                    |      |
|------------------------------------|------|
| Cable flexible (mm <sup>2</sup> ): | 6-16 |
| Inversor de fase:                  | No   |

### Materials

Plastic parts material: PA6 (Polyamide 6)

Contact material: Copper-zinc alloy

Materiales libres de halógenos: Yes

## Fields for ETIM

## Certificates and regulations

Directive: 2014/35/EU

Norms: UNE-EN 60309-1; UNE-EN 60309-2; IEC 60884-1

## Packaging

Suministro: Supplied in an individual box per packaging multiple.

Type d'emballage: NE

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 2

dimensiones\_embalaje\_unitario\_alto\_ancho\_prof\_m: 0.065 x 0.185 x 0.285

Package weight (kg): 0.678

Peso bruto unitario (kg): 0.746

## Codes

EAN code GETIM13: 8431044026527

Tariff code: 85366990

ETIM 8.0 Code: EC000140

Código ETIM 9.0: EC000140

## Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

Packaging: 100% recyclable cardboard

## Downloads (links)

---

Assembly instructions:

91208