

Serie IP44-IP67 Extra low voltage

IP44-IP67 Extra low-voltage plugs & sockets

Reference : 08458

IP44 Extra low voltage wander socket 3P 24/42V 32A 4H



Features

Application:	Electrical connection
Apto para instalación en exterior:	No
Type of installation:	Mobile
Intensidad nominal (A):	32
Voltage (V):	24/42
Frecuency (Hz):	100/200
Number of poles:	3P
Time code:	4
Color:	Green

Technical data

Protection degree:	IP44
Resistance to impact:	IK08
Glow wire resistance (°C):	960
Ball pressure test (°C):	125

Additional features

Cable flexible (mm ²):	1-10
Inversor de fase:	No

Materials

Plastic parts material: PA6 (Polyamide 6)

Contact material: Copper-zinc alloy

Materiales libres de halógenos: Yes

Fields for ETIM

Certificates and regulations

Directive: 2014/35/EU

Norms: UNE-EN 60309-1; UNE-EN 60309-2; IEC 60884-1

Packaging

Suministro: Supplied in an individual box per packaging multiple.

Type d'emballage: NE

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 10

dimensiones_embalaje_unitario_alto_ancho_prof_m: 0.013 x 0.185 x 0.285

Package weight (kg): 0.018

Peso bruto unitario (kg): 0.019

Codes

EAN code GETIM13: 8431044084589

Tariff code: 85366990

ETIM 8.0 Code: EC001320

Código ETIM 9.0: EC001320

Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

Packaging: 100% recyclable cardboard

Downloads (links)

Product drawing STP (URL):	https://ide.es/docs/planos/stp/08458.stp
Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/08458.dxf
Product drawing (PDF):	https://ide.es/docs/planos/pdf/08458.pdf
Assembly instructions:	91208