

# Serie -

-

**Reference : 30RF4040**

Fire-resistant inspection cover RF30 400x400x40



## Features

|                                    |                           |
|------------------------------------|---------------------------|
| Application:                       | Fire-resistant enclosures |
| Apto para instalación en exterior: | No                        |
| Type of installation:              | Flush-fit                 |

## Technical data

|                            |       |
|----------------------------|-------|
| Protection degree:         | IP43  |
| Resistencia al fuego:      | Yes   |
| Degree of fire resistance: | EI?30 |
| Resistance to impact:      | IK10  |

## Dimensions

|                                               |                |
|-----------------------------------------------|----------------|
| Piece dimensions Height x Width x Depth (mm): | 440 x 440 x 40 |
| Internal frame dimensions - HxWxD (mm):       | 400 x 400 x 40 |

## Additional features

|                                  |               |
|----------------------------------|---------------|
| Door/window/lid type:            | Opaca         |
| Sujeción de puerta/tapa/ventana: | Screw-on      |
| Reversible door:                 | No            |
| Lock type:                       | Con tornillos |
| Plate:                           | No            |

## Materials

|                                 |               |
|---------------------------------|---------------|
| Calidad del material:           | Rolled steel  |
| Plate material:                 | Plaster       |
| Materiales libres de halógenos: | No            |
| Color:                          | WhiteRAL 9003 |
| Plate thickness (mm):           | 15            |

## Electrical properties

|                      |             |
|----------------------|-------------|
| Maximum voltage (V): | 1000 V / AC |
|----------------------|-------------|

## Certificates and regulations

|            |                               |
|------------|-------------------------------|
| Directive: | 2014/35/EU                    |
| Norms:     | UNE-EN 13501-2; UNE-EN 1634-1 |

## Packaging

|                                                  |                    |
|--------------------------------------------------|--------------------|
| Type d'emballage:                                | WR                 |
| U.M. Embalaje - Unitario:                        | C62                |
| Minimum amount of sale:                          | 1                  |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.44 x 0.44 x 0.04 |
| Package weight (kg):                             | 6.1                |
| Peso bruto unitario (kg):                        | 6.71               |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044164878 |
| Tariff code:      | 85381000      |
| ETIM 8.0 Code:    | EC000747      |
| Código ETIM 9.0:  | EC000747      |

## Environmental



---

|                                             |                           |
|---------------------------------------------|---------------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00       |
| Packaging:                                  | 100% recyclable cardboard |

---

## Downloads (links)

---