

Serie -

-

Reference : 43025



Features

Apto para instalación en exterior:	No
Piece dimensions Height x Width x Depth (mm):	1550 x 690 x 306.5
Calidad del material:	Rolled steel

Technical data

Dimensions

Piece dimensions Height x Width x Depth (mm):	1550 x 690 x 306.5
espacio_apertura_boca_cuerpo_alto_ancho_mm:	0 x 0

Additional features

Reversible door:	No
Lock type:	Bombín Endesa JIS-20
Plate:	No
Placa ajustable:	No
Placa perforada:	No
No. locks:	1
Modelo mural apoyado:	No
Módulo en esquina:	No
Montaje intermedio:	No
Tejadillo inclinado:	No

Materials

Body thickness (mm):	1.5
----------------------	-----

Maximum loads

Electrical properties

Certificates and regulations

Packaging

Type d'emballage:	BX
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	1
dimensiones_embalaje_unitario_alto_ancho_prof_m:	1.57 x 0.705 x 0.327
Package weight (kg):	51.519
Peso bruto unitario (kg):	56.67

Codes

EAN code GETIM13:	8431044430256
Tariff code:	85381000
ETIM 8.0 Code:	EC000261
Código ETIM 9.0:	EC000261

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
---	---------------------

Downloads (links)