

Serie Verdi

IP40-IP55 Surface boxes and mechanisms

Reference : 45002

IP55 Mechanism box 2 modules



Features

Application:	Domestic
Apto para instalación en exterior:	No
Type of installation:	Surface
Calidad del material:	ABS

Modular capacity

Capacity/Number of modules:	2
-----------------------------	---

Technical data

Protection degree:	IP55
Resistance to impact:	IK07
Glow wire resistance (°C):	650
Ball pressure test (°C):	70
Double insulation:	Class II

Dimensions

Piece dimensions Height x Width x Depth (mm):	85 x 70 x 63
---	--------------

Additional features

Door/window/lid type:	Transparente
Reversible door:	No

UV protection:	No
No. of doors:	1
Tipo de cubierta:	Cover
Versión de la cubierta:	Notched
Sealable:	No
Enlazable:	No
Neutral and earth bars:	No
Incorpora Raíl DIN:	No
Plate:	No
Placa ajustable:	No
Placa perforada:	No

Materials

Materiales libres de halógenos:	Yes
Color:	Grey RAL 7035

Electrical properties

Certificates and regulations

Directive:	2014/35/EU
Norms:	UNE-EN 60670-1-22

Packaging

Type d'emballage:	WR
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	40
dimensiones_embalaje_unitario_alto_ancho_prof_m:	0.085 x 0.07 x 0.063
Package weight (kg):	0.101
Peso bruto unitario (kg):	0.111

Codes

EAN code GETIM13:	8431044450025
Tariff code:	85369001
ETIM 8.0 Code:	EC000712
Código ETIM 9.0:	EC000712

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
Packaging:	100% recyclable cardboard

Downloads (links)
