

Serie -

-

Reference : 45251

Double wall-mounted schuko socket 250V 16A side contact for RTR



Features

Apto para instalación en exterior: No

Additional features

Placa perforada: No

Placa ajustable: No

Modelo toma de corriente: Toma de corriente CEE 7/3 (tipo F)

Reversible door: No

Plate: No

Dimensions

Technical data

Resistance to impact: IK08

Electrical properties

Voltage (V): 230

Frecuency (Hz): 50/60

Number of poles: 2P+T

Materials

Materials libres de halógenos:	No
Contact material:	Copper,zinc
Plastic parts material:	PA6 (Polyamide 6)
Color:	Black
Templado:	No

More information

Certificates and regulations

Directive:	2014/35/EU
Norms:	UNE-EN 60309-1; UNE-EN 60309-2; IEC 60884-1

Packaging

Type d'emballage:	NE
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	1
Package weight (kg):	0.103
Peso bruto unitario (kg):	0.113

Codes

EAN code GETIM13:	8431044407388
Tariff code:	85366990
ETIM 8.0 Code:	EC001325
Código ETIM 9.0:	EC001325

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
Packaging:	100% recyclable cardboard

Downloads (Links)

Assembly instructions:

91208