

Serie Atlantic Plus + Auxiliary Module

IP55 Compact steel distribution cabinets + auxiliary module. (192-288 modules)

Reference : 55AUX288PT/300

Distribution cabinet + auxiliary module IP55 216-288 mod. Depth 300 white door



Features

Application:	Tertiary (large facilities)
Apto para instalación en exterior:	No
Type of installation:	Surface
Piece dimensions Height x Width x Depth (mm):	2110 x 1130 x 300
Capacity/Number of modules:	216-288
Calidad del material:	Rolled steel

Technical data

Protection degree:	IP55
Resistance to impact:	IK09

Dimensions

Piece dimensions Height x Width x Depth (mm):	2110 x 1130 x 300
Usable inner space - Height (mm):	1900 x 0 x 0

Additional features

Capacity/Number of modules:	216-288
Door/window/lid type:	Transparente doble
Reversible door:	Yes
No. of doors:	2
Body type:	Compact
Plate:	No
Placa ajustable:	No
Placa perforada:	No
Modelo mural apoyado:	Yes
Módulo en esquina:	No
Montaje intermedio:	Yes
Tejadillo inclinado:	No

Materials

Door/window/lid material:	Tempered glass
Seal material:	Polyurethane
Color:	WhiteRAL 9003
Acabado:	Embossed hardened polyester paint
Body thickness (mm):	1.2
Door thickness (mm):	4
Top/bottom panel thickness (mm):	1.2
Side thickness (mm):	1.2

Maximum loads

Total maximum load (kg): 85

Electrical properties

Maximum voltage (V): 1000 AC / 1500 DC

Intensidad nominal (A): Up to 630 (depending on type of accessory).

Power dissipation:

Power dissipation P(W) as a function of temperature increase ΔT (°C)

20	25	30	35	40
544.7	680.9	817.1	953.3	1089.4

Data calculated according to IEC TR 60890 using the method for verifying temperature rise in low-voltage switchgear and controlgear assemblies.

Certificates and regulations

Packaging

Type d'emballage: PF

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 1

dimensiones_embalaje_unitario_alto_ancho_prof_m: 2.23 x 1.2 x 0.8

Package weight (kg): 124.277

Peso bruto unitario (kg): 136.705

Codes

EAN code GETIM13:	8431044530161
Tariff code:	85381000
ETIM 8.0 Code:	EC000058
Código ETIM 9.0:	EC000058

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
---	---------------------

Downloads (links)

Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/55AUX288PT300.dxf
Assembly instructions:	91209