

Serie Eco-Star System

Cofret + Additional module

Reference : CDN24PT/PLUS

IP65 Box 24 modules CDN24PT+PCSNPLUS



Features

Application:	Industrial (Watertight and distribution enclosures)
Apto para instalación en exterior:	Yes
Type of installation:	Surface
Calidad del material:	ABS

Modular capacity

Capacity/Number of modules:	2x12 (24)
Number of rows:	2

Technical data

Protection degree:	IP65
Resistance to impact:	IK08
Glow wire resistance (°C):	650
Ball pressure test (°C):	70
Temperatura máxima materiales (°C):	+80
Double insulation:	Class II

Dimensions

Piece dimensions Height x Width x Depth (mm):	436 x 310 x 148
Upper cable entry (mm):	8xM20-2xM25-2xM32-1xM40/2xM20-1xM40
Bottom cable entry (mm):	6xM20-2xM25-2xM32-1xM40/2xM20-1xM40

Inner cable entry (mm):	4xM25
Rear oblong:	2xOB 25/32/25-2xOB25x25

Additional features

Door/window/lid type:	Transparente
Reversible door:	Yes
UV protection:	Yes
No. of doors:	1
Lock type:	Cierre a presión
No. locks:	2
Cierre - Tipo llave:	Without key Possibility of lock with key (ref. 92150) or 8 mm triangular lock (ref. 22069), available as optional accessories
Tipo de cubierta:	Door
Versión de la cubierta:	Closed
Sealable:	Yes
Enlazable:	Yes
Neutral and earth bars:	No
Incorpora Raíl DIN:	Yes
Nº tapas pret:	5
Nº tapas Pret.Lisas:	3
Nº tapas Pret.16A/SCH67:	1
Nº tapas Pret.SCH54:	1
Plate:	No
Placa ajustable:	No
Placa perforada:	No

Materials

Materiales libres de halógenos:	Yes
Base material:	ABS
Frame material:	ABS
Door/window/lid material:	Polycarbonate (PC)
Lock material:	Resina acetálica



Base colour: Grey RAL 7035

Frame color: Grey RAL 7035

Door color: Tinted

Electrical properties

Maximum voltage (V):	1000 AC / 1500 DC
----------------------	-------------------

Certificates and regulations

Directive:	2014/35/EU
------------	------------

Norms:	UNE-EN 62208,UNE-EN 61439-1
--------	-----------------------------

Packaging

Type d'emballage:	BX
-------------------	----

U.M. Embalaje - Unitario:	C62
---------------------------	-----

Minimum amount of sale:	1
-------------------------	---

dimensiones_embalaje_unitario_alto_ancho_prof_m:	0.16 x 0.47 x 0.44
--	--------------------

Package weight (kg):	3.424
----------------------	-------

Peso bruto unitario (kg):	3.766
---------------------------	-------

Codes

EAN code GETIM13:	8431044122458
-------------------	---------------

Tariff code:	85381000
--------------	----------

ETIM 8.0 Code:	EC000379
----------------	----------

Código ETIM 9.0:	EC000379
------------------	----------

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
---	---------------------

Packaging:	100% recyclable cardboard
------------	---------------------------

Downloads (links)

Assembly instructions:	93064
------------------------	-------