

# Serie -

-

**Reference : COM706020/BMP**

Metal site distribution board IP65 4x12 (48) modules three-phase 63A



## Features

|                                    |               |
|------------------------------------|---------------|
| Application:                       | Construction  |
| Apto para instalación en exterior: | No            |
| Type of installation:              | Wall-mounting |
| Calidad del material:              | Rolled steel  |

## Modular capacity

|                             |           |
|-----------------------------|-----------|
| Capacity/Number of modules: | 4x12 (48) |
| Number of rows:             | 4         |

### Components:

| Nº | Description           | IP | Poles  | Current (A) | Voltage (V) |
|----|-----------------------|----|--------|-------------|-------------|
| 1  | Interlocking socket   | 67 | 3P+N+T | 32          | 400         |
| 1  | Interlocking socket   | 67 | 3P+T   | 32          | 400         |
| 1  | Interlocking socket   | 67 | 3P+T   | 16          | 400         |
| 1  | Interlocking socket   | 67 | 2P+T   | 16          | 230         |
| 4  | Schuko-type sockets   | 67 | 2P+TT  | 16          | 230         |
| 1  | Emergency stop button | 65 | -      | -           | -           |

**Protections:**

| Nº | Description                           | Curve | Rated breaking capacity (kA) | Rated residual current (mA) | Poles | Current (A) | Voltage (V) |
|----|---------------------------------------|-------|------------------------------|-----------------------------|-------|-------------|-------------|
| 1  | MCB miniature circuit breaker         | C     | 10                           | -                           | 4P    | 32          | 400         |
| 1  | MCB miniature circuit breaker         | C     | 10                           | -                           | 3P    | 32          | 400         |
| 1  | MCB miniature circuit breaker         | C     | 10                           | -                           | 3P    | 16          | 400         |
| 3  | MCB miniature circuit breakers        | C     | 10                           | -                           | 2P    | 16          | 230         |
| 1  | RCCB residual current circuit breaker | AC    | -                            | 30                          | 4P    | 63          | 400         |
| 1  | RCCB residual current circuit breaker | AC    | -                            | 30                          | 4P    | 40          | 400         |
| 1  | RCCB residual current circuit breaker | AC    | -                            | 30                          | 2P    | 40          | 230         |
| 1  | General Switch (IGA)                  | C     | 6                            | -                           | 4P    | 63          | 400         |

**Technical data**

**Protection degree:** IP65

**Resistance to impact:** IK08

**Glow wire resistance in sockets (°C):** 960

**Dimensions**

**Piece dimensions Height x Width x Depth (mm):** 700 x 635 x 270

**Additional features**

**Emergency button:** Yes Associated with undervoltage coil

**Door/window/lid type:** Opaca

**Reversible door:** No

**UV protection:** Yes

**Lock type:** Doble barra 5

**No. locks:** 2

**Sealable:** No

**Enlazable:** No

**Incorpora Raíl DIN:** No

## Materials

|                                |                                   |
|--------------------------------|-----------------------------------|
| Materials libres de halógenos: | No                                |
| Lock material:                 | Poliamida                         |
| Color:                         | Grey RAL 7035                     |
| Acabado:                       | Embossed hardened polyester paint |

## Electrical properties

|                         |             |
|-------------------------|-------------|
| Voltage (V):            | 230/400     |
| Intensidad nominal (A): | 63          |
| Type of switch:         | Three-phase |

## Certificates and regulations

|            |                                                   |
|------------|---------------------------------------------------|
| Directive: | 2014/35/EU                                        |
| Norms:     | UNE-EN 61439-1; UNE-EN 61439-4 (en los requisitos |

## Packaging

|                                                  |                                                                                                                              |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Suministro:                                      | - Supplied fully assembled according to the specifications of each reference. -<br>Packed in individual cardboard packaging. |
| Type d'emballage:                                | BX                                                                                                                           |
| U.M. Embalaje - Unitario:                        | C62                                                                                                                          |
| Minimum amount of sale:                          | 1                                                                                                                            |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.73 x 0.655 x 0.115                                                                                                         |
| Package weight (kg):                             | 34.128                                                                                                                       |
| Peso bruto unitario (kg):                        | 37.541                                                                                                                       |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044220567 |
| Tariff code:      | 85371098      |
| ETIM 8.0 Code:    | EC000484      |
| Código ETIM 9.0:  | EC000484      |

---

## Environmental

---

|                                             |                           |
|---------------------------------------------|---------------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00       |
| Packaging:                                  | 100% recyclable cardboard |

---

## Downloads (links)

---

|                        |       |
|------------------------|-------|
| Assembly instructions: | 93064 |
|------------------------|-------|