

Serie Domos junction

Junction boxes for brick walls

Reference : CT1522

IP33 Flush-fit junction box with screw 148x218x56



Features

Application:	Domestic
Apto para instalación en exterior:	No
Type of installation:	Flush-fit brick walls
Calidad del material:	Polystyrene (PS)

Modular capacity

Technical data

Protection degree:	IP33
Resistance to impact:	IK07
Glow wire resistance (°C):	650
Ball pressure test (°C):	70
Double insulation:	Class II

Dimensions

Piece dimensions Height x Width x Depth (mm):	153 x 223 x 59
hueco_empotrar_alto_ancho_profundo_mm:	148 x 218 x 56

Additional features

Door/window/lid type:	Opaca atornillada
Sujeción de puerta/tapa/ventana:	Screw-on

Reversible door:	No
UV protection:	No
No. of doors:	1
Lock type:	Con tornillos
Tipo de cubierta:	Cover
Versión de la cubierta:	Blind cover
Sealable:	No
Enlazable:	No
Neutral and earth bars:	No
Incorpora Raíl DIN:	No
Plate:	No
Placa ajustable:	No
Placa perforada:	No

Materials

Materiales libres de halógenos:	Yes
Base material:	Polystyrene (PS)
Door/window/lid material:	Polystyrene (PS)
Color:	WhiteRAL 9003
Base colour:	Black

Electrical properties

Maximum voltage (V): 1000 AC / 1500 DC

Power dissipation:

Power dissipation P(W) as a function of temperature increase ΔT (°C)

20	25	30	35	40
4.6	5.8	6.9	8.1	9.2

Data calculated according to IEC TR 60890 using the method for verifying temperature rise in low-voltage switchgear and controlgear assemblies.

Certificates and regulations

Directive: 2014/35/EU

Norms: UNE-EN 60670-1-22

Packaging

Type d'emballage: WR

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 38

dimensiones_embalaje_unitario_alto_ancho_prof_m: 0.153 x 0.223 x 0.059

Package weight (kg): 0.217

Peso bruto unitario (kg): 0.239

Codes

EAN code GETIM13: 8431044458205

Tariff code: 85381000

ETIM 8.0 Code: EC002601

Código ETIM 9.0: EC002601

Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

Packaging: 100% recyclable cardboard

Downloads (links)

Product drawing STP (URL): <https://ide.es/docs/planos/stp/CT1522.stp>

Product drawing DXF (URL): <https://ide.es/docs/planos/dxf/CT1522.dxf>

Product drawing (PDF): <https://ide.es/docs/planos/pdf/CT1522.pdf>

Assembly instructions: 91204