

## Serie Gold-M surface

IP40 Surface metal distribution boxes

**Reference : GMST96PO**

IP40 Surface distribution box 4x24 (96) modules metal door and cover

### Features

|                                    |                        |
|------------------------------------|------------------------|
| Application:                       | Tertiary (residential) |
| Apto para instalación en exterior: | No                     |
| Type of installation:              | Surface                |
| Calidad del material:              | Rolled steel           |

### Modular capacity

|                             |           |
|-----------------------------|-----------|
| Capacity/Number of modules: | 4x24 (96) |
| Number of rows:             | 4         |

### Technical data

|                            |         |
|----------------------------|---------|
| Protection degree:         | IP40    |
| Resistance to impact:      | IK08    |
| Glow wire resistance (°C): | 650     |
| Double insulation:         | Class I |

### Dimensions

### Additional features

|                       |       |
|-----------------------|-------|
| Door/window/lid type: | Opaca |
| Reversible door:      | Yes   |
| UV protection:        | No    |

|                         |                                                                    |
|-------------------------|--------------------------------------------------------------------|
| No. of doors:           | 1                                                                  |
| Lock type:              | Cierre a presión                                                   |
| No. locks:              | 1                                                                  |
| Cierre - Tipo llave:    | Without key Possibility of lock with key as accessory (ref. 22040) |
| Tipo de cubierta:       | Door                                                               |
| Versión de la cubierta: | Closed                                                             |
| Sealable:               | No                                                                 |
| Enlazable:              | No                                                                 |
| Neutral and earth bars: | No                                                                 |
| Incorpora Raíl DIN:     | Yes                                                                |
| Plate:                  | No                                                                 |
| Placa ajustable:        | No                                                                 |
| Placa perforada:        | No                                                                 |

## Materials

|                                 |               |
|---------------------------------|---------------|
| Materiales libres de halógenos: | No            |
| Base material:                  | Rolled steel  |
| Frame material:                 | Rolled steel  |
| Door/window/lid material:       | Rolled steel  |
| Chassis lid material:           | Rolled steel  |
| Lock material:                  | ABS           |
| Base colour:                    | WhiteRAL 9003 |
| Frame color:                    | WhiteRAL 9003 |
| Door color:                     | WhiteRAL 9003 |
| Acabado:                        | Liso          |

## Electrical properties

|                      |                   |
|----------------------|-------------------|
| Maximum voltage (V): | 1000 AC / 1500 DC |
|----------------------|-------------------|

## Certificates and regulations

## Packaging

|                           |     |
|---------------------------|-----|
| U.M. Embalaje - Unitario: | C62 |
|---------------------------|-----|

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044605173 |
|-------------------|---------------|

|              |          |
|--------------|----------|
| Tariff code: | 85381000 |
|--------------|----------|

|                |          |
|----------------|----------|
| ETIM 8.0 Code: | EC000214 |
|----------------|----------|

|                  |          |
|------------------|----------|
| Código ETIM 9.0: | EC000214 |
|------------------|----------|

## Environmental

|                                             |                     |
|---------------------------------------------|---------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00 |
|---------------------------------------------|---------------------|

## Downloads (links)