

Serie Argenta

IP66 Rolled steel wall-mounting cabinets

Reference : GN8012040PD/SP

IP55 Rolled steel wall-mounting cabinet 800x1200x400 double door without mounting plate



Features

Application:	Automation and control
Apto para instalación en exterior:	No
Type of installation:	Wall-mounting
Piece dimensions Height x Width x Depth (mm):	800 x 1200 x 400
Calidad del material:	Rolled steel

Technical data

Protection degree:	IP55
NEMA degree of protection:	1, 12
Resistance to impact:	IK10

Dimensions

Piece dimensions Height x Width x Depth (mm):	800 x 1200 x 400
Wall-mounting Height x Width (mm):	760 x 1160
Cable entry - WidthxDepth (mm):	2x(125x485)
Usable inner space - Height (mm):	750 x 1150 x 379
Glass door with transparent panel - Height x Width (mm):	1097 x 619

Additional features

Door/window/lid type:	Opaca doble
Reversible door:	Yes
No. of doors:	2
Body type:	Compact
Lock type:	Doble barra 5
Plate:	No
Placa ajustable:	No
Placa perforada:	No
No. of hinges:	6
No. locks:	1
Closure - No. of points:	3 points
Cierre - Tipo llave:	5 mm double-bit Polyamide key included
No. of door profiles:	4
Modelo mural apoyado:	No
Módulo en esquina:	No
Montaje intermedio:	No
Tejadillo inclinado:	No

Materials

Lock material:	Poliamida
Seal material:	Polyurethane
Color:	Grey RAL 7035
Acabado:	Embossed hardened polyester paint
Body thickness (mm):	1.5
Door thickness (mm):	1.5
Cable entry lid thickness (mm):	2

Maximum loads

Total maximum load (kg): 390

Maximum door load (kg): 40

Electrical properties

Maximum voltage (V): 1000 AC / 1500 DC

Power dissipation:

Power dissipation P(W) as a function of temperature increase ?T (°C)

20	25	30	35	40
285.1	356.4	427.7	498.9	570.2

Data calculated according to IEC TR 60890 using the method for verifying temperature rise in low-voltage switchgear and controlgear assemblies.

Certificates and regulations

Directive: 2014/35/EU

Norms: UNE-EN 62208, UNE-EN 61439-1

Packaging

Type d'emballage: BX

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 1

dimensiones_embalaje_unitario_alto_ancho_prof_m: 0.815 x 1.22 x 0.42

Package weight (kg): 51.777

Peso bruto unitario (kg): 56.955

Codes

EAN code GETIM13:	8431044080093
Tariff code:	85381000
ETIM 8.0 Code:	EC000261
Código ETIM 9.0:	EC000261

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
Packaging:	100% recyclable cardboard

Downloads (links)

Product drawing STP (URL):	https://ide.es/docs/planos/stp/GN8012040PDSP.stp
Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/GN8012040PDSP.dxf
Product drawing (PDF):	https://ide.es/docs/planos/pdf/GN8012040PDSP.pdf
Assembly instructions:	92890