

Serie Gold-P flush-fit

IP40 Flush-fit plastic distribution boxes

Reference : GPE8PT/PH/RR

IP40 Flush-fit hollow walls distribution box 1x8 modules
transparent door PE+N

Features

Application:	Tertiary (residential)
Apto para instalación en exterior:	No
Type of installation:	Flush-fit hollow walls

Modular capacity

Capacity/Number of modules:	1x8
Number of rows:	1

Technical data

Protection degree:	IP40
Resistance to impact:	IK08
Glow wire resistance (°C):	850
Double insulation:	Class II

Dimensions

Piece dimensions Height x Width x Depth (mm):	230.6 x 240 x 97.4
---	--------------------

Additional features

Door/window/lid type:	Transparente
Reversible door:	Yes
UV protection:	No

No. of doors:	1
Lock type:	Cierre a presión
No. locks:	1
Cierre - Tipo llave:	Without key Possibility of lock with key as accessory (ref. 22015)
Tipo de cubierta:	Door
Versión de la cubierta:	Closed
Sealable:	No
Enlazable:	Yes
Neutral and earth bars:	Yes
Incorpora Raíl DIN:	Yes
Plate:	No
Placa ajustable:	No
Placa perforada:	No

Materials

Materiales libres de halógenos:	Yes
Base material:	ABS
Frame material:	ABS
Door/window/lid material:	Polycarbonate (PC)
Chassis lid material:	ABS
Base colour:	Grey RAL 7035
Frame color:	WhiteRAL 9003
Door color:	Tinted

Electrical properties

Maximum voltage (V):	1000 AC / 1500 DC
Max. Current (A):	125

Certificates and regulations

Packaging

Type d'emballage:	BX
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	5
dimensiones_embalaje_unitario_alto_ancho_prof_m:	0.241 x 0.245 x 0.108

Codes

EAN code GETIM13:	8431044603681
Tariff code:	85381000
ETIM 8.0 Code:	EC000214
Código ETIM 9.0:	EC000214

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
---	---------------------

Downloads (links)