Serie Atlantic. Accessories

IP40-IP65 Steel distribution cabinets accesories

Reference : MEL40120

Side auxiliary module for ref. 40ENL120-168



Features

Application:	Tertiary (large facilities)
Apto para instalación en exterior:	No
Type of installation:	Surface
Piece dimensions - HxWxD (mm):	1110 x 347 x 212
Capacity/Number of modules:	120
Calidad del material:	Cold-rolled steel

Technical data

Protection degree:	IP40

Dimensions

Piece dimensions - HxWxD (mm):	1110 x 347 x 212
Usable interior space - HxWxD (mm):	1050 x 209 x 0

Additional features

Capacity/Number of modules:	120
Door/window/lid type:	Single opaque
Reversible door:	No
No. of doors:	1
Body type:	Extension piece
Lock type:	5-mm double-bit
Plate:	No
Placa ajustable:	No
Placa perforada:	No
No. locks:	2x1P
Cierre - Tipo llave:	5 mm double-bit Polyamide key included
Modelo mural apoyado:	No
Módulo en esquina:	No
Montaje intermedio:	Yes
Tejadillo inclinado:	No

Materials

Lock material:	Cierre estándar ATLANTIC
Seal material:	Polyurethane
Color:	White RAL 9003
Door thickness (mm):	1

Maximum loads

Electrical properties

Certificates and regulations

Packaging

Type d'emballage:	BX
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	1
Individual packaging dimensions - HxWxD (m):	1.125 x 0.365 x 0.23
Package weight (kg):	17.285
Peso bruto unitario (kg):	19.014

Codes

EAN code GETIM13:	8431044282060
Tariff code:	85381000
ETIM 8.0 Code:	EC002524
Código ETIM 9.0:	EC002524

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
Packaging:	100% recyclable cardboard

Downloads (links)

Product drawing STP (URL):	https://ide.es/docs/planos/stp/MEL40120.stp
Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/MEL40120.dxf
Product drawing (PDF):	https://ide.es/docs/planos/pdf/MEL40120.pdf
Assembly instructions:	92858