

# Serie Argenta Plus. Accessories

IP55-IP65 Steel floor-standing cabinets accessories

**Reference : MEX2203060**

Auxiliary module 2200x300x600



## Features

|                                               |                            |
|-----------------------------------------------|----------------------------|
| Application:                                  | Large engineering projects |
| Apto para instalación en exterior:            | No                         |
| Type of installation:                         | Floor-standing             |
| Piece dimensions Height x Width x Depth (mm): | 2200 x 300 x 600           |
| Calidad del material:                         | Rolled steel               |

## Technical data

|                    |      |
|--------------------|------|
| Protection degree: | IP55 |
|--------------------|------|

## Dimensions

|                                               |                  |
|-----------------------------------------------|------------------|
| Piece dimensions Height x Width x Depth (mm): | 2200 x 300 x 600 |
|-----------------------------------------------|------------------|

## Additional features

|                       |             |
|-----------------------|-------------|
| Door/window/lid type: | Opaca única |
| Reversible door:      | No          |
| No. of doors:         | 1           |
| Plate:                | No          |
| Placa ajustable:      | No          |
| Placa perforada:      | No          |
| Modelo mural apoyado: | Yes         |
| Módulo en esquina:    | No          |
| Montaje intermedio:   | Yes         |
| Tejadillo inclinado:  | No          |

## Materials

|                                 |               |
|---------------------------------|---------------|
| Seal material:                  | Polyurethane  |
| Color:                          | Grey RAL 7035 |
| Door thickness (mm):            | 2             |
| Rear panel thickness (mm):      | 1.5           |
| Cable entry lid thickness (mm): | 1.2           |

## Maximum loads

---

## Electrical properties

---

## Certificates and regulations

---

## Packaging

---

|                                                  |                    |
|--------------------------------------------------|--------------------|
| Type d'emballage:                                | PF                 |
| U.M. Embalaje - Unitario:                        | C62                |
| Minimum amount of sale:                          | 1                  |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 2.32 x 0.65 x 0.75 |
| Package weight (kg):                             | 64.001             |
| Peso bruto unitario (kg):                        | 70.401             |

---

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044203287 |
| Tariff code:      | 85381000      |
| ETIM 8.0 Code:    | EC000261      |
| Código ETIM 9.0:  | EC000261      |

## Environmental

|                                             |                     |
|---------------------------------------------|---------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00 |
|---------------------------------------------|---------------------|

## Downloads (links)

|                            |                                                                                                           |
|----------------------------|-----------------------------------------------------------------------------------------------------------|
| Product drawing STP (URL): | <a href="https://ide.es/docs/planos/stp/MEX2203060.stp">https://ide.es/docs/planos/stp/MEX2203060.stp</a> |
|----------------------------|-----------------------------------------------------------------------------------------------------------|