

# Serie Argenta Plus. Accessories

IP55-IP65 Steel floor-standing cabinets accessories

Reference : PL200160

Total metal plain mounting plate 2000x1600



## Features

|                                    |                                                                                                                           |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Series compatibility:              | ARGENTA PLUS BIG - ARMARIO AUTOPORTANTE, ARGENTA PLUS FSC - ARMARIO AUTOPORTANTE, ARGENTA PLUS ENL - ARMARIO AUTOPORTANTE |
| Product compatibility:             | For 2000-mm high and 1600-mm wide cabinet.                                                                                |
| Apto para instalación en exterior: | No                                                                                                                        |

## Additional features

|                  |    |
|------------------|----|
| Placa perforada: | No |
| Placa ajustable: | No |
| Reversible door: | No |
| Plate:           | No |

## Dimensions

|                                               |                 |
|-----------------------------------------------|-----------------|
| Piece dimensions Height x Width x Depth (mm): | 1872 x 1500 x 0 |
|-----------------------------------------------|-----------------|

## Technical data

|                          |     |
|--------------------------|-----|
| Maximum plate load (kg): | 600 |
|--------------------------|-----|

## Electrical properties

## Materials

|                       |                  |
|-----------------------|------------------|
| Calidad del material: | Galvanised steel |
|-----------------------|------------------|

|                                |    |
|--------------------------------|----|
| Materials libres de halógenos: | No |
| Thickness (mm):                | 3  |
| Templado:                      | No |

## More information

|                  |                                                                                                               |
|------------------|---------------------------------------------------------------------------------------------------------------|
| Characteristics: | Reinforced with C-shaped folds. Depth-adjustable.                                                             |
| Technical data:  | 12,5 mm adjustment. The PLC-type linking plates can be assembled in units consisting of two or more cabinets. |

## Certificates and regulations

## Packaging

|                                                  |                    |
|--------------------------------------------------|--------------------|
| Type d'emballage:                                | NE                 |
| U.M. Embalaje - Unitario:                        | C62                |
| Minimum amount of sale:                          | 1                  |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.05 x 0.75 x 1.87 |
| Package weight (kg):                             | 72.442             |
| Peso bruto unitario (kg):                        | 79.686             |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044155616 |
| Tariff code:      | 85381000      |
| ETIM 8.0 Code:    | EC000213      |
| Código ETIM 9.0:  | EC000213      |

## Environmental

|                                             |                     |
|---------------------------------------------|---------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00 |
|---------------------------------------------|---------------------|

## Downloads (Links)

---

|                                   |                                                                                                       |
|-----------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Product drawing STP (URL):</b> | <a href="https://ide.es/docs/planos/stp/PL200160.stp">https://ide.es/docs/planos/stp/PL200160.stp</a> |
| <b>Product drawing DXF (URL):</b> | <a href="https://ide.es/docs/planos/dxf/PL200160.dxf">https://ide.es/docs/planos/dxf/PL200160.dxf</a> |
| <b>Product drawing (PDF):</b>     | <a href="https://ide.es/docs/planos/pdf/PL200160.pdf">https://ide.es/docs/planos/pdf/PL200160.pdf</a> |
| <b>Assembly instructions:</b>     | 92873                                                                                                 |