

# Serie Argenta Plus. Accessories

IP55-IP65 Steel floor-standing cabinets accessories

**Reference : PLP2080**

Partial plain metal mounting plate 200x800



## Features

|                                    |                                                                                  |
|------------------------------------|----------------------------------------------------------------------------------|
| Series compatibility:              | ARGENTA PLUS ENL - ARMARIO AUTOPORTANTE, ARGENTA PLUS FSC - ARMARIO AUTOPORTANTE |
| Product compatibility:             | For 800-mm wide cabinet.                                                         |
| Apto para instalación en exterior: | No                                                                               |

## Additional features

|                  |    |
|------------------|----|
| Placa perforada: | No |
| Placa ajustable: | No |
| Reversible door: | No |
| Plate:           | No |

## Dimensions

|                                               |               |
|-----------------------------------------------|---------------|
| Piece dimensions Height x Width x Depth (mm): | 200 x 700 x 0 |
| Para Armario - Alto x Ancho x Profundo (mm):  | 0 x 800 x 0   |

## Technical data

|                          |     |
|--------------------------|-----|
| Maximum plate load (kg): | 600 |
|--------------------------|-----|

## Electrical properties

## Materials

|                                 |                  |
|---------------------------------|------------------|
| Calidad del material:           | Galvanised steel |
| Materiales libres de halógenos: | No               |
| Thickness (mm):                 | 2                |
| Templado:                       | No               |

## More information

|                         |                                                                                                                                                                                                                                                                                     |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional Information: | The partial plates are fixed using support 48472 to mounting profiles installed in the enclosure structure. These elements must be ordered separately, depending on the depth and the internal configuration of the enclosure. These profiles may be type PME, PMR, PMI, PMIR, PMB. |
| Characteristics:        | Reinforced with C-shaped folds. Depth-adjustable, 12.5 mm adjustment. The PLC-type linking plates can be assembled in units consisting of two or more cabinets.                                                                                                                     |

## Certificates and regulations

## Packaging

|                                                  |                     |
|--------------------------------------------------|---------------------|
| Type d'emballage:                                | NE                  |
| U.M. Embalaje - Unitario:                        | C62                 |
| Minimum amount of sale:                          | 1                   |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.2 x 0.625 x 0.025 |
| Package weight (kg):                             | 3.002               |
| Peso bruto unitario (kg):                        | 3.302               |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044038612 |
| Tariff code:      | 85381000      |
| ETIM 8.0 Code:    | EC000213      |
| Código ETIM 9.0:  | EC000213      |

## Environmental

|                                             |                     |
|---------------------------------------------|---------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00 |
|---------------------------------------------|---------------------|

## Downloads (Links)

---

|                            |                                                                                                     |
|----------------------------|-----------------------------------------------------------------------------------------------------|
| Product drawing STP (URL): | <a href="https://ide.es/docs/planos/stp/PLP2080.stp">https://ide.es/docs/planos/stp/PLP2080.stp</a> |
| Product drawing DXF (URL): | <a href="https://ide.es/docs/planos/dxf/PLP2080.dxf">https://ide.es/docs/planos/dxf/PLP2080.dxf</a> |
| Product drawing (PDF):     | <a href="https://ide.es/docs/planos/pdf/PLP2080.pdf">https://ide.es/docs/planos/pdf/PLP2080.pdf</a> |
| Assembly instructions:     | 92874                                                                                               |