


# Serie Argenta. Accessories

IP66 Steel wall-mounting cabinets accessories

Reference : PLU8080

Perforated metal mounting plate 800x800



## Features

|                                    |                                                                                                                                                                                       |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Series compatibility:              | ARGENTA LAMINADO - ARMARIO MURAL,ARGENTA GALVANIZADO - ARMARIO MURAL,ARGENTA INOX - ARMARIO MURAL INOXIDABLE,ARGENTA ATEX INOX - ARMARIO MURAL ATEX,ARGENTA ATEX - ARMARIO MURAL ATEX |
| Product compatibility:             | For 800-mm high and 800-mm wide cabinet.                                                                                                                                              |
| Apto para instalación en exterior: | No                                                                                                                                                                                    |

## Additional features

|                  |    |
|------------------|----|
| Placa perforada: | No |
| Placa ajustable: | No |
| Reversible door: | No |
| Plate:           | No |

## Dimensions

|                                               |               |
|-----------------------------------------------|---------------|
| Piece dimensions Height x Width x Depth (mm): | 770 x 750 x 0 |
|-----------------------------------------------|---------------|

## Technical data

## Electrical properties

## Materials

|                       |                  |
|-----------------------|------------------|
| Calidad del material: | Galvanised steel |
|-----------------------|------------------|

|                                 |    |
|---------------------------------|----|
| Materiales libres de halógenos: | No |
| Thickness (mm):                 | 2  |
| Templado:                       | No |

## More information

|                 |                                                                                                                                                      |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical data: | Cut-out holes 14x9 mm. Distance between perforations: 25 mm. Recommended caged nuts: 48429 for front assembly, and 48416 or 48435 for rear assembly. |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|

## Certificates and regulations

## Packaging

|                                                  |                     |
|--------------------------------------------------|---------------------|
| Type d'emballage:                                | NE                  |
| U.M. Embalaje - Unitario:                        | C62                 |
| Minimum amount of sale:                          | 1                   |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.77 x 0.75 x 0.002 |
| Package weight (kg):                             | 7.235               |
| Peso bruto unitario (kg):                        | 7.958               |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044077345 |
| Tariff code:      | 85381000      |
| ETIM 8.0 Code:    | EC000213      |
| Código ETIM 9.0:  | EC000213      |

## Environmental

|                                             |                     |
|---------------------------------------------|---------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00 |
|---------------------------------------------|---------------------|

## Downloads (Links)

|                            |                                                                                                     |
|----------------------------|-----------------------------------------------------------------------------------------------------|
| Product drawing STP (URL): | <a href="https://ide.es/docs/planos/stp/PLU8080.stp">https://ide.es/docs/planos/stp/PLU8080.stp</a> |
|----------------------------|-----------------------------------------------------------------------------------------------------|

**Product drawing DXF (URL):**

<https://ide.es/docs/planos/dxf/PLU8080.dxf>

**Product drawing (PDF):**

<https://ide.es/docs/planos/pdf/PLU8080.pdf>