

Serie Argenta Plus Pack

IP55 Rolled steel floor-standing combinable cabinets.
Pack

Reference : PODCS165120

Double opaque symmetrical door 1650x1200 (OD600+OD600)



Features

Series compatibility:	ARGENTA PLUS BIG - ARMARIO AUTOPORTANTE, ARGENTA PLUS FSC - ARMARIO AUTOPORTANTE, ARGENTA PLUS ENL - ARMARIO AUTOPORTANTE
Product compatibility:	For 1650-mm high and 1200-mm wide cabinet.
Apto para instalación en exterior:	No

Additional features

Placa perforada:	No
Placa ajustable:	No
Reversible door:	No
Lock type:	Maneta de palanca + inserto doble barra 5
No. locks:	1
Closure - No. of points:	4 points
Cierre - Tipo llave:	5 mm double-bit
Plate:	No

Dimensions

Piece dimensions Height x Width x Depth (mm):	1650 x 1200 x 0
---	-----------------

Technical data

Electrical properties

Materials

Calidad del material:	Rolled steel
Materiales libres de halógenos:	No
Lock material:	Poliamida 6 + GF30
Thickness (mm):	2
Color:	Grey RAL 7035
Templado:	No

More information

Technical data:	Opaque door: PO600 + PO600. Door with 120° opening, reversible.
-----------------	---

Certificates and regulations

Packaging

Suministro:	Assembled - Supplied on pallets, protected with honeycomb cardboard corner pieces and shrink-wrap film. - The plate and the side panels (if ordered) are supplied attached to the outside of the cabinet on the same pallet. - Including: 2 lifting eyebolts fitted and key. Packs - 5 packs to optimize the handling and transport of these big size cabinets.
Type d'emballage:	BX
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	1
dimensiones_embalaje_unitario_alto_ancho_prof_m:	0.104 x 1.635 x 0.67
Package weight (kg):	46.26
Peso bruto unitario (kg):	50.886

Codes

EAN code GETIM13:	8431044010670
Tariff code:	85381000
ETIM 8.0 Code:	EC000747

Código ETIM 9.0:

EC000747

Environmental

Fecha verificación sustancias SVHC (reach):

0000-00-00 00:00:00

Downloads (Links)

Product drawing STP (URL):

<https://ide.es/docs/planos/stp/PODCS165120.stp>

Product drawing (PDF):

<https://ide.es/docs/planos/pdf/PODCS165120.pdf>

Assembly instructions:

91460