

Serie Baltic

IP55 Steel desks

Reference : PSC800

IP55 laminated steel synoptic and control desk 800 mm



Features

Application:	Automation and control
Apto para instalación en exterior:	No
Type of installation:	Floor-standing
Piece dimensions Height x Width x Depth (mm):	1415 x 800 x 950
Calidad del material:	Rolled steel

Technical data

Protection degree:	IP55
Resistance to impact:	IK10

Dimensions

Piece dimensions Height x Width x Depth (mm):	1415 x 800 x 950
Pupitre CONTROL Prof. (mm):	500
Pupitre SINÓPTICO prof. (mm):	950

Additional features

Door/window/lid type:	Panel de control y sinóptico
Reversible door:	No
Body type:	Control desk
Lock type:	Doble barra 5
Plate:	No
Placa ajustable:	No
Placa perforada:	No
No. locks:	4+6
Closure - No. of points:	1 point + 1 point
Cierre - Tipo llave:	5 mm double-bit
Modelo mural apoyado:	Yes
Módulo en esquina:	No
Montaje intermedio:	No
Tejadillo inclinado:	No
No. Mimic doors vert:	1
No. Mimic doors horz:	1
Front vertical door type:	1 Single door
Rear vertical door type:	1 Single door

Materials

Lock material:	Poliamida
Seal material:	Polyurethane
Color:	Grey RAL 7035
Acabado:	Embossed hardened polyester paint
Body thickness (mm):	1.5
Door thickness (mm):	1.5
Cable entry lid thickness (mm):	1.5

Maximum loads

Maximum door load (kg): 13

Electrical properties

Maximum voltage (V): 1000 AC / 1500 DC

Power dissipation:

Power dissipation P(W) as a function of temperature increase ?T (°C)

20	25	30	35	40
376.0	470.0	564.0	658.0	752.0

Data calculated according to IEC TR 60890 using the method for verifying temperature rise in low-voltage switchgear and controlgear assemblies.

Certificates and regulations

Directive: 2014/35/EU

Norms: UNE-EN 62208, UNE-EN 61439-1

Packaging

Type d'emballage: PF

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 1

dimensiones_embalaje_unitario_alto_ancho_prof_m: 1.55 x 0.85 x 1.03

Package weight (kg): 108.196

Peso bruto unitario (kg): 119.015

Codes

EAN code GETIM13:	8431044025124
Tariff code:	85381000
ETIM 8.0 Code:	EC000784
Código ETIM 9.0:	EC000784

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
Packaging:	100% recyclable cardboard

Downloads (links)

Product drawing STP (URL):	https://ide.es/docs/planos/stp/PSC800.stp
Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/PSC800.dxf
Product drawing (PDF):	https://ide.es/docs/planos/pdf/PSC800.pdf
Assembly instructions:	92869