

Serie Atlantic Combinable

IP30-IP40 Combinable steel surface distribution cabinets. (48-192 modules)

Reference : PT40SUP96-120

Transparent door for combinable surface cabinet 96-120 mod



Features

Series compatibility:	ATLANTIC - ARMARIO DISTRIBUCIÓN
Product compatibility:	For surface cabinets with 96-120 modules.
Apto para instalación en exterior:	No

Additional features

Placa perforada:	No
Placa ajustable:	No
Reversible door:	No
Lock type:	Doble barra 5
No. locks:	2
Closure - No. of points:	1 point
Cierre - Tipo llave:	5 mm double-bit
Plate:	No

Dimensions

Piece dimensions Height x Width x Depth (mm):	910 x 670 x 0
---	---------------

Technical data

Total maximum load (kg):	40
--------------------------	----

Electrical properties

Materials

Calidad del material:	Rolled steel
Materiales libres de halógenos:	No
Lock material:	Poliamida
Color:	WhiteRAL 9003
Templado:	No

More information

Certificates and regulations

Packaging

Suministro:	IP30-IP40 combinable surface cabinets They are supplied disassembled in a single packaging that contains enclosure, sides, top and bottom cover, cable entry cover and accessory bag. - Accessory bag: Insulating caps to permit reversible doors, wall mounting supports, reinforcement buttons, mass continuity clamps and rulers for fitting rails. The doors are supplied separately if requested, with both locks assembled and with accessory bag. - Door accessory bag: Hinges and locks, mounting screws, lock pins and key. Lids and DIN rails - They can be ordered as a Kit: Lids + DIN rails. - Separately: modular or plain lids, as well as DIN rails plus assembly supports for surface cabinets (48013) or for flush-fit cabinets (48014).
Type d'emballage:	BX
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	1
Package weight (kg):	8.26
Peso bruto unitario (kg):	9.086

Codes

EAN code GETIM13:	8431044280356
Tariff code:	85381000

ETIM 8.0 Code: EC000747

Código ETIM 9.0: EC000747

Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

Downloads (Links)

Product drawing STP (URL): <https://ide.es/docs/planos/stp/PT40SUP96-120.stp>