

# Serie Argenta Plus. Accessories

IP55-IP65 Steel floor-standing cabinets accessories

**Reference : PTDCA200100**

Double transparent asymmetrical door 2000x1000  
(TD600+OD400)



## Features

|                                           |                                                                                                                           |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Series compatibility:</b>              | ARGENTA PLUS BIG - ARMARIO AUTOPORTANTE, ARGENTA PLUS FSC - ARMARIO AUTOPORTANTE, ARGENTA PLUS ENL - ARMARIO AUTOPORTANTE |
| <b>Product compatibility:</b>             | For 2000-mm high and 1000-mm wide cabinet.                                                                                |
| <b>Apto para instalación en exterior:</b> | No                                                                                                                        |

## Additional features

|                                 |                                           |
|---------------------------------|-------------------------------------------|
| <b>Placa perforada:</b>         | No                                        |
| <b>Placa ajustable:</b>         | No                                        |
| <b>Reversible door:</b>         | No                                        |
| <b>Lock type:</b>               | Maneta de palanca + inserto doble barra 5 |
| <b>No. locks:</b>               | 1                                         |
| <b>Closure - No. of points:</b> | 4 points                                  |
| <b>Cierre - Tipo llave:</b>     | 5 mm double-bit                           |
| <b>Plate:</b>                   | No                                        |

## Dimensions

|                                                      |                 |
|------------------------------------------------------|-----------------|
| <b>Piece dimensions Height x Width x Depth (mm):</b> | 2000 x 1000 x 0 |
|------------------------------------------------------|-----------------|

## Technical data

## Electrical properties

## Materials

|                                 |                    |
|---------------------------------|--------------------|
| Calidad del material:           | Tempered glass     |
| Materiales libres de halógenos: | No                 |
| Lock material:                  | Poliamida 6 + GF30 |
| Thickness (mm):                 | 4                  |
| Color:                          | Grey RAL 7035      |
| Templado:                       | No                 |

## More information

|                  |                                                                      |
|------------------|----------------------------------------------------------------------|
| Characteristics: | Possibility to install ball handle (48545).                          |
| Technical data:  | Transparent door: PT600 + PO400. Door with 120° opening, reversible. |

## Certificates and regulations

## Packaging

|                                                  |                       |
|--------------------------------------------------|-----------------------|
| Type d'emballage:                                | BX                    |
| U.M. Embalaje - Unitario:                        | C62                   |
| Minimum amount of sale:                          | 1                     |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.104 x 1.985 x 0.605 |
| Package weight (kg):                             | 37.769                |
| Peso bruto unitario (kg):                        | 41.546                |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044010724 |
| Tariff code:      | 85381000      |
| ETIM 8.0 Code:    | EC000747      |
| Código ETIM 9.0:  | EC000747      |

## Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

---

## Downloads (Links)

---

Product drawing STP (URL): <https://ide.es/docs/planos/stp/PTDCA200100.stp>

Product drawing (PDF): <https://ide.es/docs/planos/pdf/PTDCA200100.pdf>

Assembly instructions: 91460