

# Serie Heating

## Heating

**Reference : RC250CV**

Heating resistor with fan 250W 230V AC



## Features

|                                    |                |
|------------------------------------|----------------|
| Apto para instalación en exterior: | No             |
| Tipo de producto:                  | Con ventilador |

## Additional features

|                        |                     |
|------------------------|---------------------|
| Electrical connection: | Connection terminal |
| Device mounting:       | 35 mm DIN rail clip |

## Ventilation

|             |    |
|-------------|----|
| Reversible: | No |
|-------------|----|

## Heating

|                       |                                                        |
|-----------------------|--------------------------------------------------------|
| Heating capacity (W): | 250                                                    |
| Fitting position:     | Vertical                                               |
| Heating element:      | PTC resistor, self-regulating with temperature limiter |
| Service life (h):     | 50 000 h at 25 °C                                      |

## Regulating

## Technical data

|                    |      |
|--------------------|------|
| Protection degree: | IP20 |
|--------------------|------|

|                           |         |
|---------------------------|---------|
| Double insulation:        | Class I |
| Storage temperature (°C): | -45/+70 |

## Materials

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Filtro:                         | No                                   |
| Materiales libres de halógenos: | No                                   |
| Connection casing material:     | Plastic UL94 V0                      |
| Heater body material:           | Extruded aluminium profile, anodised |

## Dimensions

|                                               |               |
|-----------------------------------------------|---------------|
| Piece dimensions Height x Width x Depth (mm): | 182 x 85 x 85 |
|-----------------------------------------------|---------------|

## Certificates and regulations

|            |                        |
|------------|------------------------|
| Directive: | 2014/35/EU             |
| Norms:     | IEC 62208; IEC 61439-1 |

## Packaging

|                                                  |                                             |
|--------------------------------------------------|---------------------------------------------|
| Suministro:                                      | Supplied in individual cardboard packaging. |
| Type d'emballage:                                | BX                                          |
| U.M. Embalaje - Unitario:                        | C62                                         |
| Minimum amount of sale:                          | 1                                           |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.182 x 0.085 x 0.085                       |
| Package weight (kg):                             | 1.03                                        |
| Peso bruto unitario (kg):                        | 1.133                                       |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044251011 |
| Tariff code:      | 85369095      |
| ETIM 8.0 Code:    | EC000737      |

Código ETIM 9.0:

EC000737

## Environmental

Fecha verificación sustancias SVHC (reach):

0000-00-00 00:00:00

Packaging:

100% recyclable cardboard

## Downloads (Links)

Product drawing DXF (URL):

<https://ide.es/docs/planos/dxf/RC250CV.dxf>

Product drawing (PDF):

<https://ide.es/docs/planos/pdf/RC250CV.pdf>