

Serie Heating

Heating

Reference : RC30SV

Heating resistor without fan 30W 110-250V AC/DC



Features

Apto para instalación en exterior:	No
Tipo de producto:	Sin ventilador

Additional features

Operating voltage (V):	110-250 AC/DC
Electrical connection:	3 pressure clamps for stranded wire 05-15 mm ² (with wire end ferrule) and rigid wire 05-25 mm ²
Device mounting:	35 mm DIN rail clip

Ventilation

Reversible:	No
-------------	----

Heating

Heating capacity (W):	30
Maximum inrush current (A):	2.5
Fitting position:	Vertical
Heating element:	PTC resistor, self-regulating with temperature limiter

Regulating

Technical data

Protection degree:	IP20
Double insulation:	Class I
Storage temperature (°C):	-45/+70

Materials

Filtro:	No
Materiales libres de halógenos:	No
Connection casing material:	Plastic UL94 V0
Heater body material:	Extruded aluminium profile, anodised

Dimensions

Piece dimensions Height x Width x Depth (mm):	109 x 70 x 60
---	---------------

Certificates and regulations

Directive:	2014/35/EU
Norms:	IEC 62208; IEC 61439-1

Packaging

Suministro:	Supplied in individual cardboard packaging.
Type d'emballage:	BX
U.M. Embalaje - Unitario:	C62
Minimum amount of sale:	1
dimensiones_embalaje_unitario_alto_ancho_prof_m:	0.07 x 0.07 x 0.06
Package weight (kg):	0.245
Peso bruto unitario (kg):	0.27

Codes

EAN code GETIM13:	8431044398686
Tariff code:	85369095

ETIM 8.0 Code: EC000737

Código ETIM 9.0: EC000737

Environmental

Fecha verificación sustancias SVHC (reach): 0000-00-00 00:00:00

Packaging: 100% recyclable cardboard

Downloads (Links)

Product drawing DXF (URL): <https://ide.es/docs/planos/dxf/RC30SV.dxf>

Product drawing (PDF): <https://ide.es/docs/planos/pdf/RC30SV.pdf>