

Serie -

-

Reference : RPN6060/TC



Features

Application:	Utility cabinets
Apto para instalación en exterior:	No
Type of installation:	Flush-fit
Tipo de producto:	Registro para hornacinas
Module type:	CPM-MF2/CPM-1M

Technical data

Protection degree:	IP33
Resistencia al fuego:	No
Resistance to impact:	IK10

Dimensions

Piece dimensions Height x Width x Depth (mm):	647 x 647 x 22.5
hueco_empotrar_alto_ancho_profundo_mm:	607 x 607 x 0
Niche: HxW (mm):	600x600

Additional features

Door/window/lid type:	Opaca única
Reversible door:	No
Lock type:	Triángulo 10 para candado
Plate:	No

No. of doors: 1

No. locks: 1

Materials

Calidad del material: Galvanised steel

Lock material: Zamak

Materiales libres de halógenos: No

Color: Grey RAL 7035

Electrical properties

Maximum voltage (V): 1000 V / AC

Certificates and regulations

Packaging

Type d'emballage: WR

U.M. Embalaje - Unitario: C62

Minimum amount of sale: 1

dimensiones_embalaje_unitario_alto_ancho_prof_m: 0.65 x 0.65 x 0.04

Package weight (kg): 6.868

Peso bruto unitario (kg): 7.555

Codes

EAN code GETIM13: 8431044399164

Tariff code: 85381000

ETIM 8.0 Code: EC000747

Código ETIM 9.0: EC000747

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
Packaging:	100% recyclable cardboard

Downloads (links)

Assembly instructions:	91199
------------------------	-------