

Serie Regulating

Regulating

Reference : TS01

Thermostat NC



Features

Apto para instalación en exterior: No

Additional features

Electrical connection: 2-pole terminal

Device mounting: 35 mm DIN rail clip

Ventilation

Reversible: No

Heating

Regulating

Setting range temperature (°C): 0-60

Switch temperature difference: 7?K (±4?K tolerance)

Sensor type: Thermostatic bimetal

Contact resistance (m ?): 10

Service life (cycles): > 100 000

Max. Switching capacity (W): 30 W DC (24-72V)

Max. Switching capacity (V): 250 V AC / 10 (2) A / 120 V AC / 15 (2) A

Technical data

Protection degree:	IP20
--------------------	------

Materials

Calidad del material:	Plastic UL94 V0
-----------------------	-----------------

Filtro:	No
---------	----

Materiales libres de halógenos:	No
---------------------------------	----

Color:	Grey
--------	------

Dimensions

Piece dimensions Height x Width x Depth (mm):	60 x 33 x 44
---	--------------

Certificates and regulations

Directive:	2014/35/EU
------------	------------

Norms:	IEC 62208; IEC 61439-1
--------	------------------------

Packaging

Type d'emballage:	BX
-------------------	----

U.M. Embalaje - Unitario:	C62
---------------------------	-----

Minimum amount of sale:	10
-------------------------	----

dimensiones_embalaje_unitario_alto_ancho_prof_m:	0.06 x 0.033 x 0.043
--	----------------------

Package weight (kg):	0.046
----------------------	-------

Peso bruto unitario (kg):	0.051
---------------------------	-------

Codes

EAN code GETIM13:	8431044251035
-------------------	---------------

Tariff code:	85369095
--------------	----------

ETIM 8.0 Code:	EC004587
----------------	----------

Código ETIM 9.0:	EC004587
------------------	----------

Environmental

Fecha verificación sustancias SVHC (reach):	0000-00-00 00:00:00
Packaging:	100% recyclable cardboard

Downloads (Links)

Product drawing DXF (URL):	https://ide.es/docs/planos/dxf/TS01.dxf
Product drawing (PDF):	https://ide.es/docs/planos/pdf/TS01.pdf