

# Serie Pryma Complet

IP67 Boxes with assembled and wired power sockets

**Reference : V8PA2/67**

IP67 1x9 mod. Box with power sockets



## Features

|                                    |                                                                  |
|------------------------------------|------------------------------------------------------------------|
| Application:                       | Industrial (Watertight and distribution enclosures),Construction |
| Apto para instalación en exterior: | Yes                                                              |
| Type of installation:              | Surface                                                          |
| Calidad del material:              | ABS                                                              |

## Modular capacity

|                             |     |
|-----------------------------|-----|
| Capacity/Number of modules: | 1x9 |
| Number of rows:             | 1   |

Components:

| Nº | Description              | IP | Poles | Current (A) | Voltage (V) |
|----|--------------------------|----|-------|-------------|-------------|
| 1  | Sloping flush-fit socket | 67 | 3P+T  | 16          | 400         |
| 1  | Schuko-type socket       | 67 | 2P+TT | 16          | 230         |

## Technical data

|                                |          |
|--------------------------------|----------|
| Protection degree:             | IP67     |
| Resistance to impact:          | IK08     |
| Glow wire resistance (°C):     | 650      |
| Cabinet pressure test (°C):    | 70       |
| Ball pressure in sockets (°C): | 125      |
| Double insulation:             | Class II |

## Dimensions

|                                               |                 |
|-----------------------------------------------|-----------------|
| Piece dimensions Height x Width x Depth (mm): | 284 x 222 x 185 |
|-----------------------------------------------|-----------------|

## Additional features

|                                  |               |
|----------------------------------|---------------|
| Emergency button:                | No            |
| Door/window/lid type:            | Transparente  |
| Sujeción de puerta/tapa/ventana: | Screw-on      |
| Reversible door:                 | No            |
| UV protection:                   | Yes           |
| Lock type:                       | Con tornillos |
| Tipo de cubierta:                | Door          |
| Versión de la cubierta:          | Closed        |
| Sealable:                        | Yes           |
| Enlazable:                       | No            |
| Incorpora Raíl DIN:              | Yes           |

## Materials

|                                 |                    |
|---------------------------------|--------------------|
| Materiales libres de halógenos: | Yes                |
| Base material:                  | ABS                |
| Frame material:                 | ABS                |
| Door/window/lid material:       | Polycarbonate (PC) |
| Color:                          | Grey RAL 7035      |
| Base colour:                    | Grey               |
| Frame color:                    | Grey               |
| Door color:                     | Tinted             |

## Electrical properties

|                      |                   |
|----------------------|-------------------|
| Maximum voltage (V): | 1000 AC / 1500 DC |
|----------------------|-------------------|

## Certificates and regulations

|            |                             |
|------------|-----------------------------|
| Directive: | 2014/35/EU                  |
| Norms:     | UNE-EN 62208,UNE-EN 61439-1 |

## Packaging

|                                                  |                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suministro:                                      | - Supplied fully assembled according to the specifications of each reference, protected with shrink wrap and packed in multiple cardboard packaging according to the number of units ordered.<br>- With certificate of conformity, description, number of socket outlets and protection devices, and the corresponding single-line diagram. |
| Type d'emballage:                                | WR                                                                                                                                                                                                                                                                                                                                          |
| U.M. Embalaje - Unitario:                        | C62                                                                                                                                                                                                                                                                                                                                         |
| Minimum amount of sale:                          | 1                                                                                                                                                                                                                                                                                                                                           |
| dimensiones_embalaje_unitario_alto_ancho_prof_m: | 0.386 x 0.388 x 0.586                                                                                                                                                                                                                                                                                                                       |
| Package weight (kg):                             | 1.523                                                                                                                                                                                                                                                                                                                                       |
| Peso bruto unitario (kg):                        | 1.675                                                                                                                                                                                                                                                                                                                                       |

## Codes

|                   |               |
|-------------------|---------------|
| EAN code GETIM13: | 8431044235103 |
| Tariff code:      | 85371098      |
| ETIM 8.0 Code:    | EC000379      |
| Código ETIM 9.0:  | EC000379      |

## Environmental

|                                             |                           |
|---------------------------------------------|---------------------------|
| Fecha verificación sustancias SVHC (reach): | 0000-00-00 00:00:00       |
| Packaging:                                  | 100% recyclable cardboard |

## Downloads (links)

|                        |         |
|------------------------|---------|
| Assembly instructions: | 92837_1 |
|------------------------|---------|